

AcreEase



40" & 60" FINISH CUT

Model	H40B	H60B	C60BE
Class Mower	Homeowner	Homeowner	Commercial
Engine Make	OHV Briggs & Stratton	OHV Briggs & Stratton	OHV Briggs & Stratton Commercial
Engine Model	Power Built	Intek Professional	Commercial Turf Twin
Engine HP	10.5	19	23
Lubrication Method	Splash	Pressure With Filter	Pressure With Filter
Air Filter Type	Std. Air Filter with Pre-Cleaner	Std. Air Filter with Pre-Cleaner	Cyclonic Air Filtration System
Electric Start (Battery Not Included)	No	Yes	Yes
Number of Mower Blades	2 - 20"	3 - 20"	3 - 20"
Blade Tip Speed (ft/min)		17,500	
Cutting Width	38"	58"	58"
Cutting Height (infinite adjust each wheel)		1.0 - 4.0"	
Blade Engagement Clutch	Manual	Centrifugal	Electric Clutch
Clutch Engagement Speed	Manual	1850 RPM	
Deck Metal Thickness	11 GA	11 GA	10 GA
Deck Top Plate Thickness (Additional Layer)	11 GA	11 GA	7 GA
Weight	235 lbs.	325 lbs.	390 lbs.
Pneumatic Fixed Rear Tire		13/500x6, 2 Ply Turf	
Front Tires on Casters		9/350x4, Slick (Flat Proof Urethane)	
# Anti-Scalp Wheels under Deck	3 (2 front, 1 rear)	6 (4 front, 2 rear)	6 w/front skids (4 F, 2 R)
Hour Meter / Tachometer	No	Optional	Yes
Oil Pressure Shut Off	No	Yes	Yes
Fuel Tank Size	2 . 8 Qt.	3 Gal.	3 Gal.
Blade Spindles		25mm Shaft (.984")	
Bearing #		6205 - 2 RST	
Drive Method		1 B Section "V" Belt	
Warranty	1 Year Residential	1 Year Residential	1 Year Commercial
Warranty - Engine	2 Year Residential	1 Year Com. / 2 Year Residential	3 Year Commercial
2022 Suggested List Price (U.S. Dollars)			
Base Model Without Hitching	\$2,195	\$3,495	\$4,045
Std. Lawn & Garden Hitching		\$150	
ATV Tongue		\$120	
Optional Floatation Kit (Front & Rear)		\$220	

(*FOB Mendota, IL)

*Prices do not include shipping costs and prices may vary in different locations.

*Kunz Engineering reserves the right to change specifications or discontinue products without notice.



DARRYLSTUFFLLC.COM

CALL TODAY: 330-637-9947

"DARRYL FINDS THE BEST STUFF AT THE BEST PRICE"

AcrEase



60" PRO FINISH CUT

Model	Pro60K
Class Mower	Professional
Engine Make	OHV Kohler Commercial
Engine Model	Confidant Twin
Engine HP	25
Lubrication Method	Pressure With Filter
Air Filter Type	Cyclonic Air Filtration System
Electric Start (Battery Not Included)	Yes
Number of Mower Blades	3 - 20"
Blade Tip Speed (ft/min)	17,500
Cutting Width	58"
Cutting Height	1.5 - 5.0"
Height Adjustment Method	Crank On Each Side
Blade Engagement Clutch	Electric
Deck Metal Thickness	10 GA
Deck Top Plate Thickness	7 GA
Weight	560 lbs.
Pneumatic Fixed Rear Tire	15/600x6, 4 Ply Turf
Pneumatic Front Tires on Casters	13/500x6, Slick
# Anti-Scalp Wheels under Deck	6 w/front skids (4 Front, 2 Rear)
Hour Meter / Tachometer	Yes
Oil Pressure Shut Off	Yes
Fuel Tank Size	3 Gal.
Blade Spindles	25mm Shaft (.984")
Bearing #	6205 - 2 RST
Drive Method	1 B Section "V" Belt
Warranty	1 Year Commercial
Warranty - Engine	2 Year Commercial / 3 Year Residential
2022 Suggested List Price (U.S. Dollars)	
Base Model Without Hitching	\$4,945
Std. Lawn & Garden Hitching	\$171
ATV Tongue	\$120
Optional Floatation Kit (Front & Rear)	\$370

(*FOB Mendota, IL)

**Prices do not include shipping costs and prices may vary in different locations.*

**Kunz Engineering reserves the right to change specifications or discontinue products without notice.*



DARRYLSTUFFLLC.COM

CALL TODAY: 330-637-9947

"DARRYL FINDS THE BEST STUFF AT THE BEST PRICE"

AcreEase



57" ROUGH CUT

Model	MR55B	MR55BE	MR55KE	MR55KEI
Class Mower	Rough Cut (Rear Discharge)			
Engine Make	OHV Briggs & Stratton Com.	OHV Briggs & Stratton Com.	OHV Kohler Commercial	OHV Kohler Commercial
Engine Model	Commercial Turf Twin	Commercial Turf Twin	Confidant Twin	Confidant Twin EFI
Engine HP	23	27	25	27
Fuel System Type	Carbureted	Carbureted	Carbureted	Fuel Injected
Lubrication Method	Pressure With Filter (Low Oil Pressure Shut-Off Included)			
Air Filter Type	Cyclonic Air Filtration System			
Electric Start (Battery Not Included)	Yes			
Hour/Tach Meter	Optional			
Number of Mower Blades	2-30"			
Blade Tip Speed (ft/min)	19000			
Cutting Width	57"			
Cutting Height	2.0 to 8.0 By Two Cranks			
Hitch	Direct Behind or Full Offset to Either Side			
Blade Engagement Clutch	Manual	Electric Clutch	Electric Clutch	Electric Clutch
Deck Metal Thickness	10 GA (.135")			
Deck Top Plate Thickness (Blade Spindle Attachment Area)	Two 1/4" Thick Plates			
Weight	580 lbs			
Pneumatic Fixed Rear Tire	15/600x6 4 Ply Tubeless (Flat Proof Option Available)			
Pneumatic Front Tires on Casters	5.30/4.50x6 4 Ply Tubeless (Flat Proof Option Available)			
Fuel Tank Size	3 Gal.			
Blade Spindles				
Shaft Size	30 mm. (1-3/16")			
Bearing #	6206-2RST			
Drive Method	1 B Section "V" Belt (Kevlar)			
Warranty	1 Year Commercial			
Warranty - Engine	3 Year Commercial	3 Year Commercial	2 Year Com. / 3 Year Resid.	3 Year Commercial
2022 Suggested List Price (U.S. Dollars)				
Base Model Including Tongue	\$4,845	\$5,045	\$5,295	\$5,995
Optional Wetlands Kit	\$645			
Optional Electric Lift Kit	\$770			
Optional Floatation Kit	\$360-\$490			

(*FOB Mendota, IL)

(Note: Models MR55BE and MR55KEI are Not For Sale in California)

*Prices do not include shipping costs and prices may vary in different locations.

*Kunz Engineering reserves the right to change specifications or discontinue products without notice.



DARRYLSTUFFLLC.COM

CALL TODAY: 330-637-9947

"DARRYL FINDS THE BEST STUFF AT THE BEST PRICE"

AcreEase



44" ROUGH CUT

Model	MR44B	MR44BC	MR44BE
Class Mower	Rough Cut (Rear Discharge)		
Engine Make	OHV Briggs & Stratton	OHV Briggs & Stratton Commercial	OHV Briggs & Stratton Commercial
Engine Model	Intek Professional Single Cylinder	Commercial Turf Twin Cylinder	Commercial Turf Twin Cylinder
Engine HP	19	23	23
Lubrication Method	Pressure with Filter	Pressure with Filter (Low Oil Pressure Shut-Off Included)	
Air Filter Type	Standard Air Filter with Pre-Cleaner	Cyclonic Air Filtration System	Cyclonic Air Filtration System
Electric Start (Battery not included)	Yes		
Hour/Tach Meter	Optional		
Number of Mower Blades	2-23"		
Blade Tip Speed (ft/min)	19000		
Cutting Width	44"		
Cutting Height	2.0 to 8.0 With Single Crank Assy.		
Hitch	Directly Behind or Full Offset to Either Side		
Blade Engagement Clutch	Manual	Manual	Electric Clutch
Deck Metal Thickness	10 GA (.135")		
Deck Top Plate Thickness (Blade Spindle Attachment Area)	3/16" Backed With 1/4" Plate at Blade Spindles		
Weight	520 lbs	530 lbs	530 lbs
Pneumatic Fixed Rear Tire	15/600x6 4 Ply Tubeless (Flat Proof Option Available)		
Pneumatic Front Tires on Casters	5.30/4.50x6 4 Ply Tubeless (Flat Proof Option Available)		
Fuel Tank Size	3 Gal.		
Blade Spindles			
Shaft Size	30 mm. (1-3/16")		
Bearing #	6206-2RST		
Drive Method	1 B Section "V" Belt (Kevlar)		
Warranty	1 Year Commercial		
Warranty - Engine	1 Year Com. / 2 Year Residential	3 Year Commercial	3 Year Commercial
2022 Suggested List Price (U.S. Dollars)			
Base Model Including Tongue	\$4,295	\$4,695	\$4,845
Optional Wetlands Kit	\$645		
Optional Electric Lift Kit	\$575		
Optional Floatation Kit	\$360		

(*FOB Mendota, IL)

**Prices do not include shipping costs and prices may vary in different locations.*

**Kunz Engineering reserves the right to change specifications or discontinue products without notice.*



DARRYLSTUFFLLC.COM

CALL TODAY: 330-637-9947

"DARRYL FINDS THE BEST STUFF AT THE BEST PRICE"

Till-Ease

43" CHISEL PLOW/FIELD CULTIVATOR



Model	543
Tillage Tool Type	Chisel Plow / Field Cultivator
Electric Lift	Yes (With Operator Controls)
Number of Cutting Coulters	5
Cutting Coulters Size	13.5" Dia. (Plain Straight Style) (Agricultural Quality)
Number of Shanks	5
Shank Type	Rigid 1-3/8" Square
Adjustable and Quick Remove Shanks	Yes
Maximum Depth	6"
Cultivator Sweep Size	9" Wide (1-3/4" Bolt Spacing, 3/8" Bolt Dia.) (Agricultural Quality)
Reversible Point Chisel Sweep Size	2" Wide (1-3/4" Bolt Spacing, 3/8" Bolt Dia.) (Agricultural Quality)
Cutting Width	43"
Tongue Adjustment Method	Top Link Connected to Lift Mechanism
Tongue Hitch Method	Quick Remove Pin
Pneumatic Tire	15/600 x 6, 4 Ply Tubeless
Attachment Receivers	Yes
Weight Racks	Yes
Weight	330 lbs (Without Added Weight)
Warranty	1 Year Non-Commercial
2022 Suggested List Price (U.S. Dollars)	
Base Model	\$2,745
Optional Drag Harrow	\$315
Optional Turning Shovel Kit	\$80

(*FOB Mendota, IL)

**Prices do not include shipping costs and prices may vary in different locations.*

**Kunz Engineering reserves the right to change specifications or discontinue products without notice.*



DARRYLSTUFFLLC.COM

CALL TODAY: 330-637-9947

"DARRYL FINDS THE BEST STUFF AT THE BEST PRICE"

Till-Ease

CULTIPACKER



**Model TP2148
With Wheel Kit**

Model	TP2148	TP2760	TP3272
Tillage Tool Type	Cultipacker		
Transport Method			
Wheels - Flip Over design	Optional with Wheel Kit		
3-Point - Tractor Mount	Optional with 3-Point Kit		
Packer Wheels (Agricultural Quality)	Cast Iron with Crushing Knobs		
Number of Cast Iron Packer Wheels	21	27	32
Packer Wheel Size	9.5" Dia.		
Packer Wheel Shaft Bearings	Greaseable 1-3/4" Pillow Block		
Width	48"	60"	72"
Tongue Hitch Method	Quick Remove Pin		
Pneumatic Tire (Included With Wheel Kit)	13/500 x 6, 2 Ply Turf		
3-Point Category (Included With 3-Point Kit)	Category 1, Standard & Quick Hitch Compatible		
Weight	257 lbs (Std.), 272 lbs (With Kits)	321 lbs (Std.), 336 lbs (With Kits)	384 lbs (Std.), 398 lbs (With Kits)
Warranty	1 Year Non-Commercial		
2022 Suggested List Price (U.S. Dollars)			
Standard Model	\$945	\$1,095	\$1,245
Wheel Kit	\$135		
3-Point Kit	\$50		

(*FOB Mendota, IL)

**Prices do not include shipping costs and prices may vary in different locations.*

**Kunz Engineering reserves the right to change specifications or discontinue products without notice.*



**Model TP3272
Standard Pull Type**



**Model TP3272
With Wheel Kit**



**Model TP3272
With 3-Point Kit**



DARRYLSTUFFLLC.COM

CALL TODAY: 330-637-9947

"DARRYL FINDS THE BEST STUFF AT THE BEST PRICE"